

Part 2 - Building the Recently Modified View Panel

Objectives

Now let's build the next component: the Recently Modified View Panel.

This will allow an admin immediate access to pages on the Confluence instance that were modified within the last 24 hours as well as show other relevant info about the pages.

Page Title	Space	Attachments	Version	Category	Last Modified	Links	Actions
June 2018 Sales	Sales	0	1		26 May, 2018 by Jane Tso	Page Info History	Edit Remove
Quarter 1 2019 Forecast	Sales	0	1		26 May, 2018 by Maisey Delgado	Page Info History	Edit Remove
Quarter 4 2018 New Employees List	Talent	0	1	onboarding	25 May, 2018 by Shauna Hanna	Page Info History	Edit Remove

Steps

1. Create a **Report Table** macro and set **Maximum Results** to "100".
2. Within the **Report Table**, create a **Content Reporter** macro and set **Types** to "page".
3. Within the **Content Reporter** macro, create a **Date Sort** macro and set the **Key** to `content:modification date`.
4. Still within the **Content Reporter** macro, create a **Date Filter** macro and set the **Key** to `content:modification date`.
5. Back within the **Report Table**, create a **Report Column** macro and set the **Title** to "Page Title" and check the **Injected** parameter is **True**.
6. Within the **Report Column**, create a **Report Info** macro and set the **Key** to `content:title` and make sure **Link To Item** is **True**.
7. Create another **Report Column** with the **Title** "Space".
8. Within this **Report Column**, create a **Report Info** macro and set the **Key** to `content:space` and make sure **Link To Item** is **True**.
9. Create another **Report Column** with the **Title** "Attachments".
10. Within that **Report Column**, create a **Report Info** macro and set the **Key** to `content:attachments > collection:size`.
11. Create another **Report Column** with the **Title** "Version".
12. Within that **Report Column**, create a **Report Info** macro and set the **Key** to `content:version`.
13. Create another **Report Column** with the **Title** "Category".
14. Within that **Report Column**, create a **Report Info** macro and set the **Key** to `content:labels`.
15. Create another **Report Column** with the **Title** "Last Modified".
16. Within that **Report Column**, create two **Report Info** macros, one with the **Key** set to `content:modification date`, and the other `content:modifier`. Ensure the latter **Report Info** macro also has the **Link To Item** parameter set to **True**.
17. Create another **Report Column** with the **Title** "Links" and check the **Injected** parameter is set to **True**.
18. Within the **Report Column**, create a **Link to Location** macro and set **Location** to "page info", **Link Text** to "Page Info", and **Content** to `%title%`.
19. Still within the same **Report Column**, create another **Link to Location** macro and set **Location** to "page history", **Link Text** to "History", and **Content** to `%title%`.
20. Create another **Report Column** with the **Title** "Actions" and check the **Injected** parameter is set to **True**.
21. Within the **Report Column**, create a **Link to Location** macro and set **Location** to "page edit", **Link Text** to "Edit", and **Content** to `%title%`.
22. Still within the same **Report Column**, create another **Link to Location** macro and set **Location** to "page remove", **Link Text** to "Remove", and **Content** to `%title%`.

Editor View

Your editor should now look something like this:

Recently Modified

Report Table | maxResults = 100

Content Reporter | types = page

Date Sort | content:modification date |...

Date Filter | content:modification date |...

Report Column | title = Page Title | injected = true

Report Info | content:title | link = true

Report Column | title = Space

Report Info | content:space | link = true

Report Column | title = Attachments

Report Info | content:attachments > colle...

Report Column | title = Version | injected = true

Report Info | content:version

Report Column | title = Category

Report Info | content:labels

Report Column | title = Last Modified

Report Info | content:modification date |...

by

Report Info | content:modifier | link = t...

Report Column | title = Links | injected = true



Link to Location | page info | linkText = Page...



Link to Location | page history | linkText = H...



Report Column | title = Actions | injected = true



Link to Location | page edit | linkText = Edit...



Link to Location | page remove | linkText = Re...

Storage Format

The following storage format code also incorporates code from Part 1.

Storage Format

```

<ac:layout>
  <ac:layout-section ac:type="three_equal">
    <ac:layout-cell>
      <p>
        <br/>
      </p>
      <p class="auto-cursor-target">
        <br/>
      </p>
      <ac:structured-macro ac:macro-id="8903159b-04da-4a00-8679-78dcf64293bc" ac:name="panel" ac:schema-version="1">
        <ac:parameter ac:name="bgColor">#36B37E</ac:parameter>
        <ac:parameter ac:name="borderWidth">0</ac:parameter>
        <ac:rich-text-body>
          <h2 style="text-align: center;"> </h2>
          <h2 style="text-align: center;">Edited in the last 24h</h2>
          <ac:structured-macro ac:macro-id="5be23bb4-7f0f-4005-9f78-20b3c2f1c35b" ac:name="report-block" ac:schema-version="1">
            <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
          </ac:structured-macro>
          <ac:rich-text-body>
            <p>
              <br/>
            </p>
            <ac:structured-macro ac:macro-id="94fcd368-faa5-441e-bff4-elf2ada33ccf" ac:name="content-reporter" ac:schema-version="1">
              <ac:parameter ac:name="types">page</ac:parameter>
              <ac:rich-text-body>
                <h1> <ac:structured-macro ac:macro-id="cd8360c2-2657-49ff-a745-dffa7148a0f9" ac:name="date-filter" ac:schema-version="1">
                  <ac:parameter ac:name="minValue">-1m</ac:parameter>
                  <ac:parameter ac:name="beforeValue">+0d</ac:parameter>
                </ac:structured-macro>
              </ac:rich-text-body>
            </ac:structured-macro>
          </ac:rich-text-body>
        </ac:structured-macro>
      </ac:rich-text-body>
    </ac:layout-cell>
  </ac:layout-section>
</ac:layout>

```

```

        <ac:parameter ac:name="relativeTo">%data:Relative To%
</ac:parameter>
        <ac:parameter ac:name="">content:modification date<
/ac:parameter>
        </ac:structured-macro>
        </h1>
        </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<ac:structured-macro ac:macro-id="aa9b7107-1cd0-4390-b0e1-
469ff008b92b" ac:name="report-header" ac:schema-version="1">
    <ac:rich-text-body>
        <h1 style="text-align: center;">
            <ac:structured-macro ac:macro-id="f8c60628-4721-43cb-
b69f-4fb83b026077" ac:name="report-info" ac:schema-version="1">
                <ac:parameter ac:name="">report:query&gt;collection:
size</ac:parameter>
            </ac:structured-macro> Pages</h1>
        </ac:rich-text-body>
    </ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="d76f9ad9-3a28-40ac-a839-
d6550b302eb4" ac:name="report-body" ac:schema-version="1">
    <ac:rich-text-body>
        <p class="auto-cursor-target">
            <br/>
        </p>
        <ac:structured-macro ac:macro-id="e14931f4-f5f1-4415-
aa69-e7d9d44a8833" ac:name="hidden-data" ac:schema-version="1">
            <ac:parameter ac:name="atlassian-macro-output-type"
>INLINE</ac:parameter>
            <ac:rich-text-body>
                <h1>
                    <ac:structured-macro ac:macro-id="3b421be3-11b8-
456b-9e9d-c847f2635379" ac:name="report-info" ac:schema-version="1">
                        <ac:parameter ac:name="">content:title</ac:
parameter>
                    </ac:structured-macro>
                </h1>
            </ac:rich-text-body>
        </ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>

```

```

        </ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <p>
        <br/>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:layout-cell>
<ac:layout-cell>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <ac:structured-macro ac:macro-id="126252d6-7180-46e1-a247-
2577d56712bb" ac:name="panel" ac:schema-version="1">
        <ac:parameter ac:name="bgColor">#00B8D9</ac:parameter>
        <ac:parameter ac:name="borderWidth">0</ac:parameter>
        <ac:rich-text-body>
            <h2 style="text-align: center;"> </h2>
            <h2 style="text-align: center;">Created in the last 24h</h2>
            <ac:structured-macro ac:macro-id="5ce2d14b-3234-4e66-8a0c-
2ea0078cf45b" ac:name="report-block" ac:schema-version="1">
                <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:
parameter>
                <ac:rich-text-body>
                    <p>
                        <br/>
                    </p>
                    <ac:structured-macro ac:macro-id="7c647e70-8cd8-4988-b43f-
60767aa4791d" ac:name="content-reporter" ac:schema-version="1">
                        <ac:parameter ac:name="types">page</ac:parameter>
                        <ac:rich-text-body>
                            <h2> <ac:structured-macro ac:macro-id="4c8cbade-6d82-
4242-a745-9e5f7dale9c1" ac:name="date-filter" ac:schema-version="1">
                                <ac:parameter ac:name="minValue">-1d</ac:parameter>
                                <ac:parameter ac:name="beforeValue">+0d</ac:
parameter>
                                <ac:parameter ac:name="relativeTo">%data:Relative To%
</ac:parameter>
                                <ac:parameter ac:name="">content:creation date</ac:
parameter>
                            </ac:structured-macro>
                            </h2>
                        </ac:rich-text-body>
                    </ac:structured-macro>
                    <p>
                        <br/>
                    </p>

```

```
<ac:structured-macro ac:macro-id="b81d9955-cac0-48b2-b439-
fdd12ebcaeb0" ac:name="report-header" ac:schema-version="1">
  <ac:rich-text-body>
    <h1 style="text-align: center;">
      <ac:structured-macro ac:macro-id="639aa3c0-cc0d-4a80-
9ba7-01bb65e0f585" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="">report:query&gt;collection:
size</ac:parameter>
      </ac:structured-macro> Pages</h1>
    </ac:rich-text-body>
  </ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="7f12049d-f107-4f44-8c47-
fff669a74a2c" ac:name="report-body" ac:schema-version="1">
  <ac:rich-text-body>
    <p class="auto-cursor-target">
      <br/>
    </p>
    <ac:structured-macro ac:macro-id="9ca89724-cee8-4f46-
952d-2102941a193d" ac:name="hidden-data" ac:schema-version="1">
      <ac:parameter ac:name="atlassian-macro-output-type"
>INLINE</ac:parameter>
      <ac:rich-text-body>
        <h1>
          <ac:structured-macro ac:macro-id="6297c13e-0f4a-
40f1-a13b-8623e5310f95" ac:name="report-info" ac:schema-version="1">
            <ac:parameter ac:name="">content:title</ac:
parameter>
          </ac:structured-macro>
        </h1>
      </ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
      <br/>
    </p>
    <ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
      <br/>
    </p>
    <ac:rich-text-body>
  </ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<p>
  <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
```

```

    <br/>
  </p>
</ac:layout-cell>
<ac:layout-cell>
  <p class="auto-cursor-target">
    <br/>
  </p>
  <ac:structured-macro ac:macro-id="1a6a2ca1-fa36-4c2c-8045-5b73f36d45e6" ac:name="panel" ac:schema-version="1">
    <ac:parameter ac:name="bgColor">#FFAB00</ac:parameter>
    <ac:parameter ac:name="borderWidth">0</ac:parameter>
    <ac:rich-text-body>
      <h2 style="text-align: center;"> </h2>
      <h2 style="text-align: center;">Comments in the last 24h</h2>
      <ac:structured-macro ac:macro-id="4e06cbbe-f21e-42bc-befb-195f0aad88e" ac:name="report-block" ac:schema-version="1">
        <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
        <ac:rich-text-body>
          <p>
            <br/>
          </p>
          <ac:structured-macro ac:macro-id="e5fe9946-b959-4a08-b70f-a00335d18eae" ac:name="content-reporter" ac:schema-version="1">
            <ac:parameter ac:name="types">comment</ac:parameter>
            <ac:rich-text-body>
              <h1> <ac:structured-macro ac:macro-id="30a72078-8b90-4a99-9501-01dc6alac1ad" ac:name="date-filter" ac:schema-version="1">
                <ac:parameter ac:name="minValue">-3m</ac:parameter>
                <ac:parameter ac:name="beforeValue">+0d</ac:parameter>
              </ac:structured-macro>
              <ac:parameter ac:name="relativeTo">%data:Relative To%
            </ac:parameter>
            <ac:parameter ac:name="">content:modification date<
          </ac:parameter>
        </ac:structured-macro>
      </h1>
    </ac:rich-text-body>
  </ac:structured-macro>
  <p>
    <br/>
  </p>
  <ac:structured-macro ac:macro-id="c56f33fc-1e92-478c-8a10-c205f2978ee2" ac:name="report-header" ac:schema-version="1">
    <ac:rich-text-body>
      <h1 style="text-align: center;">
        <ac:structured-macro ac:macro-id="4f74f1ff-290d-488c-a9e3-a3e63d04a6e8" ac:name="report-info" ac:schema-version="1">
          <ac:parameter ac:name="">report:query>collection:
        size</ac:parameter>
        </ac:structured-macro> Comments</h1>
      </ac:rich-text-body>
    </ac:structured-macro>
  </ac:structured-macro>

```



```

    <p>
      <br/>
    </p>
    <ac:structured-macro ac:macro-id="70cc4bf3-4769-47ec-8208-424c7c36e2a0" ac:name="report-body" ac:schema-version="1">
      <ac:rich-text-body>
        <p class="auto-cursor-target">
          <br/>
        </p>
        <ac:structured-macro ac:macro-id="daf66cf9-2757-4824-8933-fa02902871e7" ac:name="hidden-data" ac:schema-version="1">
          <ac:parameter ac:name="atlassian-macro-output-type">
>INLINE</ac:parameter>
          <ac:rich-text-body>
            <h1>
              <ac:structured-macro ac:macro-id="aa0576c5-2eda-411f-aed4-af3ee25bf84c" ac:name="report-info" ac:schema-version="1">
                <ac:parameter ac:name="">content:title</ac:parameter>
              </ac:structured-macro>
            </h1>
          </ac:rich-text-body>
        </ac:structured-macro>
        <p class="auto-cursor-target">
          <br/>
        </p>
        </ac:rich-text-body>
      </ac:structured-macro>
      <p class="auto-cursor-target">
        <br/>
      </p>
      </ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
      <br/>
    </p>
    </ac:rich-text-body>
  </ac:structured-macro>
  <ac:structured-macro ac:macro-id="c90db81c-c627-45e3-b56a-e25e08b9193b" ac:name="report-table" ac:schema-version="1">
    <ac:parameter ac:name="maxResults">100</ac:parameter>
    <ac:rich-text-body>

```

```
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="89b8c391-eb5f-4476-87f2-
fbc379b5d65b" ac:name="content-reporter" ac:schema-version="1">
  <ac:parameter ac:name="types">page</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="488e0656-edbe-4960-97e1-
ace4b61e081b" ac:name="date-sort" ac:schema-version="1">
        <ac:parameter ac:name="order">descending</ac:parameter>
        <ac:parameter ac:name="">content:modification date</ac:
parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="d51b35d2-62e1-4968-9b3a-
21257f2ac785" ac:name="date-filter" ac:schema-version="1">
        <ac:parameter ac:name="minValue">-1m</ac:parameter>
        <ac:parameter ac:name="beforeValue">+0d</ac:parameter>
        <ac:parameter ac:name="relativeTo">%data:Relative To%<
/ac:parameter>
        <ac:parameter ac:name="">content:modification date</ac:
parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="75dbfaaa-bca7-4485-9e92-
85cae655a75c" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">>true</ac:parameter>
  <ac:parameter ac:name="title">Page Title</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="964334db-6a98-443c-8362-
601473d283a5" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="link">>true</ac:parameter>
        <ac:parameter ac:name="">content:title</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="16fb1995-0f8f-4a51-b78b-
eeb38b526b39" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Space</ac:parameter>
  <ac:rich-text-body>
    <p>
```

```
        <ac:structured-macro ac:macro-id="12c2c594-4ac2-4d4c-9d91-
ed68c493733a" ac:name="report-info" ac:schema-version="1">
            <ac:parameter ac:name="link">true</ac:parameter>
            <ac:parameter ac:name="">content:space</ac:parameter>
        </ac:structured-macro>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="cec62587-d04c-4179-b79e-
7a29107d8a63" ac:name="report-column" ac:schema-version="1">
    <ac:parameter ac:name="title">Attachments</ac:parameter>
    <ac:rich-text-body>
        <p style="text-align: center;">
            <ac:structured-macro ac:macro-id="16a86479-2508-4e43-84f1-
187bd900bfcd" ac:name="report-info" ac:schema-version="1">
                <ac:parameter ac:name="">content:attachments &gt;
collection:size</ac:parameter>
            </ac:structured-macro>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="a67914c5-2ec8-48d6-91ba-
2dc95840a32c" ac:name="report-column" ac:schema-version="1">
    <ac:parameter ac:name="injected">true</ac:parameter>
    <ac:parameter ac:name="title">Version</ac:parameter>
    <ac:rich-text-body>
        <p style="text-align: center;">
            <ac:structured-macro ac:macro-id="c9245c36-435a-4354-ba09-
7b6eb37a98c2" ac:name="report-info" ac:schema-version="1">
                <ac:parameter ac:name="">content:version</ac:parameter>
            </ac:structured-macro>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="41695501-62fa-42a4-ac26-
3502b817d8b6" ac:name="report-column" ac:schema-version="1">
    <ac:parameter ac:name="title">Category</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="ce7ca44c-5d28-4dfd-9866-
4bcc458a585d" ac:name="report-info" ac:schema-version="1">
                <ac:parameter ac:name="">content:labels</ac:parameter>
            </ac:structured-macro>
        </p>
```

```
        </ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <ac:structured-macro ac:macro-id="1c52c782-4454-45f9-994d-
aa7f3c7b12da" ac:name="report-column" ac:schema-version="1">
        <ac:parameter ac:name="title">Last Modified</ac:parameter>
        <ac:rich-text-body>
            <p>
                <ac:structured-macro ac:macro-id="d630bc82-747b-4e13-9f50-
1e12f1544440" ac:name="report-info" ac:schema-version="1">
                    <ac:parameter ac:name="format">dd MMM, yyyy</ac:
parameter>
                    <ac:parameter ac:name="">content:modification date</ac:
parameter>
                    </ac:structured-macro> by <ac:structured-macro ac:macro-
id="f9666b9a-3d59-43fa-9dbc-d7247c2de043" ac:name="report-info" ac:schema-
version="1">
                        <ac:parameter ac:name="link">>true</ac:parameter>
                        <ac:parameter ac:name="">content:modifier</ac:parameter>
                    </ac:structured-macro>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <ac:structured-macro ac:macro-id="c91cfa63-dbcc-4641-b472-
44e57f8a6615" ac:name="report-column" ac:schema-version="1">
        <ac:parameter ac:name="injected">>true</ac:parameter>
        <ac:parameter ac:name="title">Links</ac:parameter>
        <ac:rich-text-body>
            <p>
                <ac:structured-macro ac:macro-id="ealafb9f-a386-43a1-913a-
ble7cf6236f7" ac:name="link-to" ac:schema-version="1">
                    <ac:parameter ac:name="linkText">Page Info</ac:parameter>
                    <ac:parameter ac:name="content">
                        <ac:link>
                            <ri:page ri:content-title="%title%"/>
                        </ac:link>
                    </ac:parameter>
                    <ac:parameter ac:name="">page info</ac:parameter>
                </ac:structured-macro> <ac:structured-macro ac:macro-id="
1b0b9ccd-f2a4-4d72-b0e5-48d82df8776b" ac:name="link-to" ac:schema-version="
1">
                    <ac:parameter ac:name="linkText">History</ac:parameter>
                    <ac:parameter ac:name="content">
                        <ac:link>
                            <ri:page ri:content-title="%title%"/>
                        </ac:link>
                    </ac:parameter>
                    <ac:parameter ac:name="">page history</ac:parameter>
                </ac:structured-macro>
            </p>
        </ac:rich-text-body>
    </ac:structured-macro>
</pre>
```

```

        </ac:structured-macro>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="felcf538-41e4-4485-94e0-
87cf43ealf14" ac:name="report-column" ac:schema-version="1">
    <ac:parameter ac:name="injected">true</ac:parameter>
    <ac:parameter ac:name="title">Actions</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="elfa0a24-ccb9-42f2-bccf-
737a47fef558" ac:name="link-to" ac:schema-version="1">
                <ac:parameter ac:name="linkText">Edit</ac:parameter>
                <ac:parameter ac:name="content">
                    <ac:link>
                        <ri:page ri:content-title="%title%"/>
                    </ac:link>
                </ac:parameter>
                <ac:parameter ac:name="">page edit</ac:parameter>
            </ac:structured-macro> <ac:structured-macro ac:macro-id="
b0b1faf3-b960-4c11-b2cd-c5d10605a01a" ac:name="link-to" ac:schema-version="
1">
                <ac:parameter ac:name="linkText">Remove</ac:parameter>
                <ac:parameter ac:name="content">
                    <ac:link>
                        <ri:page ri:content-title="%title%"/>
                    </ac:link>
                </ac:parameter>
                <ac:parameter ac:name="">page remove</ac:parameter>
            </ac:structured-macro>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:layout-cell>
</ac:layout-section>
</ac:layout>

```