

Part 3 - Building the Recently Created View Panel

Objectives

Now that we have both a Quick View Panel and a Recently Modified View Panel, let's create a panel for recently created pages as well.

The steps are mostly the same as creating the Recently Modified View Panel, with a few minor changes.

Recently Created						
Page Title	Space	Attachments	Category	Created On	Links	Actions
June 2018 Sales	Sales	0		26 May, 2018 by Jane Tso	Page Info History	Edit Remove
Quarter 1 2019 Forecast	Sales	0		26 May, 2018 by Maisey Delgado	Page Info History	Edit Remove


Steps


1. Create a **Report Table** macro and set **Maximum Results** to "100".
2. Within the **Report Table**, create a **Content Reporter** macro and set **Types** to "page".
3. Within the **Content Reporter** macro, create a **Date Sort** macro and set the **Key** to `content:creation date`.
4. Still within the **Content Reporter** macro, create a **Date Filter** macro and set the **Key** to `content:creation date`.
5. Back within the **Report Table**, create a **Report Column** macro and set the **Title** to "Page Title" and check the **Injected** parameter is **True**.
6. Within the **Report Column**, create a **Report Info** macro and set the **Key** to `content:title` and make sure **Link To Item** is **True**.
7. Create another **Report Column** with the **Title** "Space".
8. Within this **Report Column**, create a **Report Info** macro and set the **Key** to `content:space` and make sure **Link To Item** is **True**.
9. Create another **Report Column** with the **Title** "Attachments".
10. Within that **Report Column**, create a **Report Info** macro and set the **Key** to `content:attachments > collection:size`.
11. Create another **Report Column** with the **Title** "Category".
12. Within that **Report Column**, create a **Report Info** macro and set the **Key** to `content:labels` and make sure **Link To Item** is **True**.
13. Create another **Report Column** with the **Title** "Last Modified".
14. Within that **Report Column**, create two **Report Info** macros, one with the **Key** set to `content:creation date`, and the other `content:creator`. Ensure the latter **Report Info** macro also has the **Link To Item** parameter set to **True**.
15. Create another **Report Column** with the **Title** "Links" and check the **Injected** parameter is set to **True**.
16. Within the **Report Column**, create a **Link to Location** macro and set **Location** to "page info", **Link Text** to "Page Info", and **Content** to `%title%`.
17. Still within the same **Report Column**, create another **Link to Location** macro and set **Location** to "page history", **Link Text** to "History", and **Content** to `%title%`.
18. Create another **Report Column** with the **Title** "Actions" and check the **Injected** parameter is set to **True**.
19. Within the **Report Column**, create a **Link to Location** macro and set **Location** to "page edit", **Link Text** to "Edit", and **Content** to `%title%`.
20. Still within the same **Report Column**, create another **Link to Location** macro and set **Location** to "page remove", **Link Text** to "Remove", and **Content** to `%title%`.


Editor View


You should end up with the editor looking something like this:


Recently Created


 Report Table | maxResults = 100


 Content Reporter | types = page


 Date Sort | content:creation date | ord...


 Date Filter | content:creation date | min...


 Report Column | title = Page Title | injected = true


 Report Info | content:title | link = true


 Report Column | title = Space


 Report Info | content:space | link = true


 Report Column | title = Attachments


 Report Info | content:attachments > colle...


 Report Column | title = Category

 Report Info | content:labels | link = tru...

 Report Column | title = Created On


 Report Info | content:creation date | for... **by**  Report Info | content:creator | link = tr...


 Report Column | title = Links | injected = true

 Link to Location | page info | linkText = Page...

 Link to Location | page history | linkText = H...

Report Column | title = Actions | injected = true

 Link to Location | page edit | linkText = Edit...

 Link to Location | page remove | linkText = Re...

Storage Format

The following storage format code also incorporates code from Parts 1 and 2.

Storage Format

```
<ac:layout>
  <ac:layout-section ac:type="three_equal">
    <ac:layout-cell>
      <p class="auto-cursor-target">
        <br/>
      </p>
      <ac:structured-macro ac:macro-id="8903159b-04da-4a00-8679-78dcf64293bc" ac:name="panel" ac:schema-version="1">
        <ac:parameter ac:name="bgColor">#36B37E</ac:parameter>
        <ac:parameter ac:name="borderWidth">0</ac:parameter>
        <ac:rich-text-body>
          <h2 style="text-align: center;">
            <span style="color: rgb(51,51,51);" </span>
          </h2>
          <h2 style="text-align: center;">
            <span style="color: rgb(51,51,51);">Edited in the last 24h<
/span>
          </h2>
        <ac:structured-macro ac:macro-id="5be23bb4-7f0f-4005-9f78-20b3c2f1c35b" ac:name="report-block" ac:schema-version="1">
          <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
          <ac:rich-text-body>
            <p class="auto-cursor-target">
              <br/>
            </p>
            <ac:structured-macro ac:macro-id="94fcd368-faa5-441e-bff4-elf2ada33ccf" ac:name="content-reporter" ac:schema-version="1">
              <ac:parameter ac:name="types">page</ac:parameter>
              <ac:rich-text-body>
                <h1>
                  <span style="color: rgb(51,51,51);" <ac:structured-macro ac:macro-id="cd8360c2-2657-49ff-a745-dffa7148a0f9" ac:name="date-filter" ac:schema-version="1">
                    <ac:parameter ac:name="minValue">-1m</ac:parameter>
                    <ac:parameter ac:name="beforeValue">+0d</ac:parameter>
                  </ac:structured-macro>
                </h1>
              </ac:rich-text-body>
            </ac:structured-macro>
          </ac:rich-text-body>
        </ac:structured-macro>
      </ac:structured-macro>
    </ac:layout-cell>
  </ac:layout-section>
</ac:layout>
```

```
parameter>
    <ac:parameter ac:name="relativeTo">%data:Relative
To%</ac:parameter>
    <ac:parameter ac:name="">content:modification date<
/ac:parameter>
    </ac:structured-macro> </span>
    </h1>
    </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="aa9b7107-1cd0-4390-b0e1-
469ff008b92b" ac:name="report-header" ac:schema-version="1">
    <ac:rich-text-body>
    <h1 style="text-align: center;">
        <span style="color: rgb(51,51,51);"> <ac:structured-
macro ac:macro-id="f8c60628-4721-43cb-b69f-4fb83b026077" ac:name="report-
info" ac:schema-version="1">
            <ac:parameter ac:name="">report:query>
collection:size</ac:parameter>
        </ac:structured-macro> </span>
    </h1>
    </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
<ac:structured-macro ac:macro-id="15e0fc0d-a29d-4834-a139-
867098df3329" ac:name="report-body" ac:schema-version="1">
    <ac:rich-text-body>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <ac:structured-macro ac:macro-id="e14931f4-f5f1-4415-
aa69-e7d9d44a8833" ac:name="hidden-data" ac:schema-version="1">
        <ac:parameter ac:name="atlassian-macro-output-type"
>INLINE</ac:parameter>
        <ac:rich-text-body>
        <h1>
            <span style="color: rgb(51,51,51);"> <ac:
structured-macro ac:macro-id="3b421be3-11b8-456b-9e9d-c847f2635379" ac:
name="report-info" ac:schema-version="1">
                <ac:parameter ac:name="">content:title</ac:
parameter>
            </ac:structured-macro> </span>
        </h1>
        </ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
        <br/>
    </p>
</ac:rich-text-body>
```

```

        </ac:structured-macro>
        <p class="auto-cursor-target">
            <br/>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:layout-cell>
<ac:layout-cell>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <ac:structured-macro ac:macro-id="126252d6-7180-46e1-a247-
2577d56712bb" ac:name="panel" ac:schema-version="1">
        <ac:parameter ac:name="bgColor">#00B8D9</ac:parameter>
        <ac:parameter ac:name="borderWidth">0</ac:parameter>
        <ac:rich-text-body>
            <h2 style="text-align: center;">
                <span style="color: rgb(51,51,51);"> </span>
            </h2>
            <h2 style="text-align: center;">
                <span style="color: rgb(51,51,51);">Created in the last 24h<
/span>
            </h2>
            <ac:structured-macro ac:macro-id="5ce2d14b-3234-4e66-8a0c-
2ea0078cf45b" ac:name="report-block" ac:schema-version="1">
                <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:
parameter>
                <ac:rich-text-body>
                    <p class="auto-cursor-target">
                        <br/>
                    </p>
                    <ac:structured-macro ac:macro-id="7c647e70-8cd8-4988-b43f-
60767aa4791d" ac:name="content-reporter" ac:schema-version="1">
                        <ac:parameter ac:name="types">page</ac:parameter>
                        <ac:rich-text-body>
                            <h2>
                                <span style="color: rgb(51,51,51);"> <ac:structured-
macro ac:macro-id="4c8cbade-6d82-4242-a745-9e5f7dale9c1" ac:name="date-
filter" ac:schema-version="1">
                                    <ac:parameter ac:name="minValue">-1d</ac:parameter>
                                    <ac:parameter ac:name="beforeValue">+0d</ac:
parameter>

```



```

        <p class="auto-cursor-target">
            <br/>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
</ac:layout-cell>
<ac:layout-cell>
    <p class="auto-cursor-target">
        <br/>
    </p>
    <ac:structured-macro ac:macro-id="1a6a2ca1-fa36-4c2c-8045-5b73f36d45e6" ac:name="panel" ac:schema-version="1">
        <ac:parameter ac:name="bgColor">#FFAB00</ac:parameter>
        <ac:parameter ac:name="borderWidth">0</ac:parameter>
        <ac:rich-text-body>
            <h2 style="text-align: center;">
                <span style="color: rgb(51,51,51);"> </span>
            </h2>
            <h2 style="text-align: center;">
                <span style="color: rgb(51,51,51);">Comments in the last 24h<
/br>
            </h2>
            <ac:structured-macro ac:macro-id="4e06cbbe-f21e-42bc-befb-195f0aad88e" ac:name="report-block" ac:schema-version="1">
                <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
            <ac:rich-text-body>
                <p class="auto-cursor-target">
                    <br/>
                </p>
                <ac:structured-macro ac:macro-id="e5fe9946-b959-4a08-b70f-a00335d18eae" ac:name="content-reporter" ac:schema-version="1">
                    <ac:parameter ac:name="types">comment</ac:parameter>
                    <ac:rich-text-body>
                        <h1>
                            <span style="color: rgb(51,51,51);"> <ac:structured-macro ac:macro-id="30a72078-8b90-4a99-9501-01dc6a1ac1ad" ac:name="date-filter" ac:schema-version="1">
                                <ac:parameter ac:name="minValue">-3m</ac:parameter>

```

```
parameter>                <ac:parameter ac:name="beforeValue">+0d</ac:
parameter>                <ac:parameter ac:name="relativeTo">%data:Relative
To%</ac:parameter>        <ac:parameter ac:name="">content:modification date<
/ac:parameter>            </ac:structured-macro> </span>
                            </h1>
                            </ac:rich-text-body>
                            </ac:structured-macro>
                            <p class="auto-cursor-target">
                              <br/>
                            </p>
                            <ac:structured-macro ac:macro-id="c56f33fc-1e92-478c-8a10-
c205f2978ee2" ac:name="report-header" ac:schema-version="1">
                              <ac:rich-text-body>
                                <h1 style="text-align: center;">
                                  <span style="color: rgb(51,51,51);"> <ac:structured-
macro ac:macro-id="4f74f1ff-290d-488c-a9e3-a3e63d04a6e8" ac:name="report-
info" ac:schema-version="1">
                                    <ac:parameter ac:name="">report:query&gt;
collection:size</ac:parameter>
                                  </ac:structured-macro> </span>
                                </h1>
                                </ac:rich-text-body>
                              </ac:structured-macro>
                              <p class="auto-cursor-target">
                                <br/>
                              </p>
                              <ac:structured-macro ac:macro-id="70cc4bf3-4769-47ec-8208-
424c7c36e2a0" ac:name="report-body" ac:schema-version="1">
                                <ac:rich-text-body>
                                  <p class="auto-cursor-target">
                                    <br/>
                                  </p>
                                  <ac:structured-macro ac:macro-id="ae43ac7f-004b-4b1f-
99ec-cc9248533f78" ac:name="hidden-data" ac:schema-version="1">
                                    <ac:parameter ac:name="atlassian-macro-output-type"
>INLINE</ac:parameter>
                                    <ac:rich-text-body>
                                      <h1>
                                        <span style="color: rgb(51,51,51);"> <ac:
structured-macro ac:macro-id="1471bd79-228d-47ae-810b-33b3899bd126" ac:
name="report-info" ac:schema-version="1">
                                            <ac:parameter ac:name="">content:title</ac:
parameter>
                                        </ac:structured-macro> </span>
                                      </h1>
                                      </ac:rich-text-body>
                                    </ac:structured-macro>
                                    <p class="auto-cursor-target">
                                      <br/>
                                    </p>
```



```

        </ac:rich-text-body>
    </ac:structured-macro>
    <p class="auto-cursor-target">
        <br/>
    </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:layout-cell>
</ac:layout-section>
<ac:layout-section ac:type="single">
    <ac:layout-cell>
        <h2>Recently Modified</h2>
        <ac:structured-macro ac:macro-id="c90db81c-c627-45e3-b56a-
e25e08b9193b" ac:name="report-table" ac:schema-version="1">
            <ac:parameter ac:name="maxResults">100</ac:parameter>
            <ac:rich-text-body>
                <p class="auto-cursor-target">
                    <br/>
                </p>
                <ac:structured-macro ac:macro-id="89b8c391-eb5f-4476-87f2-
f3e379b5d65b" ac:name="content-reporter" ac:schema-version="1">
                    <ac:parameter ac:name="types">page</ac:parameter>
                    <ac:rich-text-body>
                        <p>
                            <ac:structured-macro ac:macro-id="488e0656-edbe-4960-97e1-
ace4b61e081b" ac:name="date-sort" ac:schema-version="1">
                                <ac:parameter ac:name="order">descending</ac:parameter>
                                <ac:parameter ac:name="">content:modification date</ac:
parameter>
                            </ac:structured-macro>
                        </p>
                        <p>
                            <ac:structured-macro ac:macro-id="d51b35d2-62e1-4968-9b3a-
21257f2ac785" ac:name="date-filter" ac:schema-version="1">
                                <ac:parameter ac:name="minValue">-1m</ac:parameter>
                                <ac:parameter ac:name="beforeValue">+0d</ac:parameter>
                                <ac:parameter ac:name="relativeTo">%data:Relative To%<
/ac:parameter>
                                <ac:parameter ac:name="">content:modification date</ac:
parameter>
                            </ac:structured-macro>
                        </p>
                    </ac:rich-text-body>
                </ac:structured-macro>
            </ac:rich-text-body>
        </ac:structured-macro>
    </ac:layout-cell>
</ac:layout-section>

```

```
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="75dbfaaa-bca7-4485-9e92-
85cae655a75c" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">true</ac:parameter>
  <ac:parameter ac:name="title">Page Title</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="964334db-6a98-443c-8362-
601473d283a5" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="link">true</ac:parameter>
        <ac:parameter ac:name="">content:title</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="16fb1995-0f8f-4a51-b78b-
eeb38b526b39" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Space</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="12c2c594-4ac2-4d4c-9d91-
ed68c493733a" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="link">true</ac:parameter>
        <ac:parameter ac:name="">content:space</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="cec62587-d04c-4179-b79e-
7a29107d8a63" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Attachments</ac:parameter>
  <ac:rich-text-body>
    <p style="text-align: center;">
      <ac:structured-macro ac:macro-id="16a86479-2508-4e43-84f1-
187bd900bfcd" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="">content:attachments &gt;
collection:size</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
```

```
</p>
<ac:structured-macro ac:macro-id="a67914c5-2ec8-48d6-91ba-
2dc95840a32c" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">true</ac:parameter>
  <ac:parameter ac:name="title">Version</ac:parameter>
  <ac:rich-text-body>
    <p style="text-align: center;">
      <ac:structured-macro ac:macro-id="c9245c36-435a-4354-ba09-
7b6eb37a98c2" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="">content:version</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="41695501-62fa-42a4-ac26-
3502b817d8b6" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Category</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="f5029de0-eeb8-4d07-a7d6-
088bd5dce296" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="link">true</ac:parameter>
        <ac:parameter ac:name="">content:labels</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="1c52c782-4454-45f9-994d-
aa7f3c7b12da" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Last Modified</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="d630bc82-747b-4e13-9f50-
1e12f1544440" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="format">dd MMM, yyyy</ac:
parameter>
        <ac:parameter ac:name="">content:modification date</ac:
parameter>
      </ac:structured-macro> by <ac:structured-macro ac:macro-
id="f9666b9a-3d59-43fa-9dbc-d7247c2de043" ac:name="report-info" ac:schema-
version="1">
        <ac:parameter ac:name="link">true</ac:parameter>
        <ac:parameter ac:name="">content:modifier</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```

```
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="c91cfa63-dbcc-4641-b472-
44e57f8a6615" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">true</ac:parameter>
  <ac:parameter ac:name="title">Links</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="ealafb9f-a386-43a1-913a-
ble7cf6236f7" ac:name="link-to" ac:schema-version="1">
        <ac:parameter ac:name="linkText">Page Info</ac:parameter>
        <ac:parameter ac:name="content">
          <ac:link>
            <ri:page ri:content-title="%title%"/>
          </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page info</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="
1b0b9ccd-f2a4-4d72-b0e5-48d82df8776b" ac:name="link-to" ac:schema-version="
1">
        <ac:parameter ac:name="linkText">History</ac:parameter>
        <ac:parameter ac:name="content">
          <ac:link>
            <ri:page ri:content-title="%title%"/>
          </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page history</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="felcf538-41e4-4485-94e0-
87cf43ealf14" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">true</ac:parameter>
  <ac:parameter ac:name="title">Actions</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="elfa0a24-ccb9-42f2-bccf-
737a47fef558" ac:name="link-to" ac:schema-version="1">
        <ac:parameter ac:name="linkText">Edit</ac:parameter>
        <ac:parameter ac:name="content">
          <ac:link>
            <ri:page ri:content-title="%title%"/>
          </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page edit</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="
b0b1faf3-b960-4c11-b2cd-c5d10605a01a" ac:name="link-to" ac:schema-version="
1">
```

```

        <ac:parameter ac:name="linkText">Remove</ac:parameter>
        <ac:parameter ac:name="content">
            <ac:link>
                <ri:page ri:content-title="%title%"/>
            </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page remove</ac:parameter>
    </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
    <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<h2>Recently Created</h2>
<ac:structured-macro ac:macro-id="866049a1-8303-46d5-aeaf-
4f6e641e9c69" ac:name="report-table" ac:schema-version="1">
    <ac:parameter ac:name="maxResults">100</ac:parameter>
    <ac:rich-text-body>
        <p class="auto-cursor-target">
            <br/>
        </p>
        <ac:structured-macro ac:macro-id="2f39bad0-84ba-4741-8666-
dec5e65f1cd6" ac:name="content-reporter" ac:schema-version="1">
            <ac:parameter ac:name="types">page</ac:parameter>
            <ac:rich-text-body>
                <p>
                    <ac:structured-macro ac:macro-id="28f36145-0092-4a7e-b26b-
37bcb8165d10" ac:name="date-sort" ac:schema-version="1">
                        <ac:parameter ac:name="order">descending</ac:parameter>
                        <ac:parameter ac:name="">content:creation date</ac:
parameter>
                    </ac:structured-macro>
                </p>
                <p>
                    <ac:structured-macro ac:macro-id="746168ea-e54e-433b-bda9-
2d7078b35d9d" ac:name="date-filter" ac:schema-version="1">
                        <ac:parameter ac:name="minValue">-1d</ac:parameter>
                        <ac:parameter ac:name="beforeValue">+0d</ac:parameter>
                        <ac:parameter ac:name="relativeTo">%data:Relative To%<
/ac:parameter>
                        <ac:parameter ac:name="">content:creation date</ac:
parameter>
                    </ac:structured-macro>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
    </p class="auto-cursor-target">
        <br/>
    </p>
<ac:structured-macro ac:macro-id="0aaae3e5-d4dc-431d-8bfb-

```

```
18c0824bf15e" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">true</ac:parameter>
  <ac:parameter ac:name="title">Page Title</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="f0becd43-79c4-4abe-9903-
a8db55383e4b" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="link">true</ac:parameter>
        <ac:parameter ac:name="">content:title</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="a1736290-818e-4aa8-b3e0-
a2024b7c6098" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Space</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="c47a4d4d-6f27-4cfd-97df-
75f2a54463e0" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="link">true</ac:parameter>
        <ac:parameter ac:name="">content:space</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="ac423ed9-7981-4cfd-9ba3-
fc684de4b96d" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Attachments</ac:parameter>
  <ac:rich-text-body>
    <p style="text-align: center;">
      <ac:structured-macro ac:macro-id="ba4625c9-cff9-47b7-ab11-
991a35d43d6e" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="">content:attachments &gt;
collection:size</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="1d872443-4c54-4cbe-b2bb-
001fa01bf920" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Category</ac:parameter>
  <ac:rich-text-body>
    <p>
```

```
<ac:structured-macro ac:macro-id="0d26f526-5bfa-4c2f-bf93-
2ae3fa1786bd" ac:name="report-info" ac:schema-version="1">
  <ac:parameter ac:name="link">>true</ac:parameter>
  <ac:parameter ac:name="">content:labels</ac:parameter>
</ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="55f244a5-f427-46f2-9242-
30bede9bbc86" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="title">Created On</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="a60aab42-5e89-40fb-b130-
4ec407612793" ac:name="report-info" ac:schema-version="1">
        <ac:parameter ac:name="format">dd MMM, yyyy</ac:
parameter>
        <ac:parameter ac:name="">content:creation date</ac:
parameter>
        </ac:structured-macro> by <ac:structured-macro ac:macro-
id="29eadfde-c1cb-49a5-b2e2-d507d37eed4f" ac:name="report-info" ac:schema-
version="1">
          <ac:parameter ac:name="link">>true</ac:parameter>
          <ac:parameter ac:name="">content:creator</ac:parameter>
        </ac:structured-macro>
      </p>
    </ac:rich-text-body>
  </ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="851ce653-b527-44b2-8bcb-
e721ae518d2c" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">>true</ac:parameter>
  <ac:parameter ac:name="title">Links</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="5c6b5b40-8e9f-40d9-balf-
4222a32b2426" ac:name="link-to" ac:schema-version="1">
        <ac:parameter ac:name="linkText">Page Info</ac:parameter>
        <ac:parameter ac:name="content">
          <ac:link>
            <ri:page ri:content-title="%title%"/>
          </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page info</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="
69855697-a4e7-4c53-a68e-8cfcd6c8a117" ac:name="link-to" ac:schema-version="
1">
        <ac:parameter ac:name="linkText">History</ac:parameter>
```

```
<ac:parameter ac:name="content">
  <ac:link>
    <ri:page ri:content-title="%title%"/>
  </ac:link>
</ac:parameter>
<ac:parameter ac:name="">page history</ac:parameter>
</ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
<ac:structured-macro ac:macro-id="b0441e04-94b2-4617-aeb4-
4a687fd52252" ac:name="report-column" ac:schema-version="1">
  <ac:parameter ac:name="injected">>true</ac:parameter>
  <ac:parameter ac:name="title">Actions</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="d6fdbb5e-425b-46e9-9885-
704ecddf87f8" ac:name="link-to" ac:schema-version="1">
        <ac:parameter ac:name="linkText">Edit</ac:parameter>
        <ac:parameter ac:name="content">
          <ac:link>
            <ri:page ri:content-title="%title%"/>
          </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page edit</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="
39d31e8b-ad0c-4993-b6d0-737b4fd6c045" ac:name="link-to" ac:schema-version="
1">
        <ac:parameter ac:name="linkText">Remove</ac:parameter>
        <ac:parameter ac:name="content">
          <ac:link>
            <ri:page ri:content-title="%title%"/>
          </ac:link>
        </ac:parameter>
        <ac:parameter ac:name="">page remove</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p class="auto-cursor-target">
  <br/>
</p>
</ac:layout-cell>
</ac:layout-section>
</ac:layout>
```


add Next: Building the Quick Links to Space Templates Panel